

FITTING INSTRUCTIONS FOR


## **Out-Back Gas Bottle Mount**

SKU

COMPATIBILITY

KS0403

**Out-Back Spare Tyre Mount** 



Included contents				
QTY	COMPONENT			
1	Out-Back Gas Bottle Mount			
2	Foot Clamps			
2	M10 Knobs			
2	DIN Washers			
2	M8x16 Flanged Hex Bolts			
2	M8 Flanged Nuts			

Also required				
QTY	COMPONENT			
1	Out-Back Spare Tyre Mount & Strap			



Bolt Torque								
DIAMETER (mm)	5mm	6mm	8mm	10mm	12mm			
NEWTON-METRES (Nm)	5 Nm	9 Nm	22 Nm	44 Nm	77 Nm			

## Let's get to work.

## **Installation**

PLEASE NOTE: Before installing the gas bottle mount it is strongly advised that you check the laws, rules and regulations for the transportation of gas bottles in your area.

- First up is to attach the Gas Bottle Mount to the Spare Tyre Mount. We recommend sitting the mounts up against the tyre to work out what positioning will work best for your setup, ensuring that your rear door or rear bar swingaway are able to open unaffected.
- Secure the Gas Bottle Mount to the Spare Tyre Mount using the M8 bolts, nuts and washers.
- Position the Spare Tyre Mount on the tyre, and secure with the provided ratchet strap. We advise ensuring that the hooks are facing outwards with the ratchet at the top of the tyre.
- 4. Place the Foot Clamps through the gaps in the gas bottle rim as shown.
- 5. Thread the M10 knobs into the Foot Clamps and tighten until secure.
- 6. That's it, you're ready to hit the road and cook up a storm! The M10 knobs should be secure in most driving conditions, but If you prefer a little added security, we've also provided two additional sets of slots for a cam lock style strap.









## **Local Knowledge & Assistance**

We know half the fun of building your dream 4x4 is getting your hands dirty. But we also know that sometimes, things don't go to plan. If in the pursuit to build the ultimate setup you find yourself off-track, we're here to help you get unstuck.

For further information call 07 3180 1470 or email info@kaon.com.au

Disclaimer: The products sold by KAON should not be modified, and are for use only on the vehicles specifically stated. KAON will not be liable for any damages arising out of the use or misuse of it's products. It is the customers responsibility to ensure the products are safely and property used and installed. KAON consistently seeks to improve it's products and reserves the right to make changes to any product.